



U.S. Department  
of Transportation  
**Federal Highway  
Administration**

1200 New Jersey Ave., SE  
Washington, D.C. 20590

April 1, 2016

In Reply Refer To:  
HSST/B-25B

Mr. Bret Eckert P.E.  
Engineering Applications Manager  
Trinity Highway Products  
3617 Cincinnati Avenue  
Rocklin, CA 95677

Dear Mr. Eckert:

This letter is in response to your December 16, 2015 request for the Federal Highway Administration (FHWA) to review a roadside safety device, hardware, or system for eligibility for reimbursement under the Federal-aid highway program. This FHWA letter of eligibility is assigned FHWA control number B-25B and is valid until a subsequent letter is issued by FHWA that expressly references this device.

### **Decision**

The following devices are eligible, with details provided in the form which is attached as an integral part of this letter:

- BarrierGate®

### **Scope of this Letter**

To be found eligible for Federal-aid funding, modified roadside safety devices should meet the crash test and evaluation criteria contained in the National Cooperative Highway Research Program (NCHRP) Report 350. However, the FHWA, the Department of Transportation, and the United States Government do not regulate the manufacture of roadside safety devices. Eligibility for reimbursement under the Federal-aid highway program does not establish approval, certification or endorsement of the device for any particular purpose or use.

This letter is not a determination by the FHWA, the Department of Transportation, or the United States Government that a vehicle crash involving the device will result in any particular outcome, nor is it a guarantee of the in-service performance of this device. Proper manufacturing, installation, and maintenance are required in order for this device to function as tested.

This finding of eligibility is limited to the crashworthiness of the system and does not cover other structural features, nor conformity with the Manual on Uniform Traffic Control Devices.

## **Eligibility for Reimbursement**

FHWA previously issued an eligibility letter for the roadside safety system described in your pending request. Your pending request now identifies a modification to that roadside safety system.

The original roadside safety device information is:

Name of system: BarrierGate®

Type of system: Barrier

Date of original request: December 13, 1992

Date of original FHWA eligibility letter: April 19, 1993

FHWA Control number: B-25

The modification(s) to the BarrierGate® covered by this letter are:

1. In the main electrical control assembly, equivalent electrical components were substituted for components that were discontinued by the original manufacturer.

FHWA concurs with the recommendation of the accredited crash testing laboratory as stated within the attached form.

## **Full Description of the Eligible Device**

The device and supporting documentation, including reports of the crash tests or other testing done, videos of any crash testing, and/or drawings of the device, are described in the attached form.

## **Notice**

If a manufacturer makes any modification to any of their roadside safety hardware that has an existing eligibility letter from FHWA, the manufacturer must notify FHWA of such modification with a request for continued eligibility for reimbursement. The notice of all modifications to a device must be accompanied by:

- Significant modifications – For these modifications, crash test results must be submitted with accompanying documentation and videos.
- Non-signification modifications – For these modifications, a statement from the crash test laboratory on the potential effect of the modification on the ability of the device to meet the relevant crash test criteria.

FHWA's determination of continued eligibility for the modified hardware will be based on whether the modified hardware will continue to meet the relevant crash test criteria.

You are expected to supply potential users with sufficient information on design, installation and maintenance requirements to ensure proper performance.

You are expected to certify to potential users that the hardware furnished has the same chemistry, mechanical properties, and geometry as that submitted for review, and that it will meet the test and evaluation criteria of the NCHRP Report 350.

Issuance of this letter does not convey property rights of any sort or any exclusive privilege. This letter is based on the premise that information and reports submitted by you are accurate and correct. We reserve the right to modify or revoke this letter if: (1) there are any inaccuracies in the information submitted in support of your request for this letter, (2) the qualification testing was flawed, (3) in-service performance or other information reveals safety problems, (4) the system is significantly different from the version that was crash tested, or (5) any other information indicates that the letter was issued in error or otherwise does not reflect full and complete information about the crashworthiness of the system.

### Standard Provisions

- To prevent misunderstanding by others, this letter of eligibility designated as FHWA control number B-25B shall not be reproduced except in full. This letter and the test documentation upon which it is based are public information. All such letters and documentation may be reviewed upon request.
- This letter shall not be construed as authorization or consent by the FHWA to use, manufacture, or sell any patented system for which the applicant is not the patent holder.
- If the subject device is a patented product it may be considered to be proprietary. If proprietary systems are specified by a highway agency for use on Federal-aid projects: (a) they must be supplied through competitive bidding with equally suitable unpatented items; (b) the highway agency must certify that they are essential for synchronization with the existing highway facilities or that no equally suitable alternative exists; or (c) they must be used for research or for a distinctive type of construction on relatively short sections of road for experimental purposes. Our regulations concerning proprietary products are contained in Title 23, Code of Federal Regulations, Section 635.411.

Sincerely yours,



Michael S. Griffith  
Director, Office of Safety Technologies  
Office of Safety

Enclosures

## Request for Federal Aid Reimbursement Eligibility of Highway Safety Hardware

<b>Submitter</b>	Date of Request:	March 24, 2016	<input type="radio"/> New <input checked="" type="radio"/> Resubmission
	Name:	Bret R. Eckert, P.E.	
	Company:	Trinity Highway Products, LLC	
	Address:	3617 Cincinnati Ave., Rocklin, CA 95765	
	Country:	USA	
	To:	Michael S. Griffith, Director FHWA, Office of Safety Technologies	

I request the following devices be considered eligible for reimbursement under the Federal-aid highway program.

System Type	Submission Type	Device Name / Variant	Testing Criterion	Test Level
'B': Barriers (Roadside, Median, Bridge Railings)	<input type="radio"/> Physical Crash Testing <input checked="" type="radio"/> Engineering Analysis	BarrierGate®	NCHRP Report 350	TL3

By submitting this request for review and evaluation by the Federal Highway Administration, I certify that the product(s) was (were) tested in conformity with the NCHRP Report 350 (Report 350) and that the evaluation results meet the appropriate evaluation criteria in the Report 350.

Identification of the individual or organization responsible for the product:

Contact Name:	Bret R. Eckert, P.E.	Same as Submitter <input checked="" type="checkbox"/>
Company Name:	Trinity Highway Products, LLC	Same as Submitter <input checked="" type="checkbox"/>
Address:	3617 Cincinnati Ave., Rocklin, CA 95765	Same as Submitter <input checked="" type="checkbox"/>
Country:	USA	Same as Submitter <input checked="" type="checkbox"/>

Enter below all disclosures of financial interests as required by the FHWA 'Federal-Aid Reimbursement Eligibility Process for Safety Hardware Devices' document.

The BarrierGate® technology is the commercial embodiment of intellectual property that is protected by patents that are owned by Trinity Highway Products, LLC (THP). THP does not pay royalties for sales of the BarrierGate® system. The BarrierGate® system was designed and developed by engineers at Energy Absorption Systems. The patent holder of record for the BarrierGate® system is John P. Quittner. The associated United States Patent Office patent number (5,211,503) is assigned to Energy Absorption Systems, Inc. / Trinity Industries, Inc.

EAS sponsored certain crash tests of the BarrierGate® system; such tests were conducted by E-Tech Testing Services, an independent, wholly-owned subsidiary of THP. E-Tech Testing Services is an International Standards Organization ("ISO") 17025 accredited laboratory with American Association for Laboratory Accreditation (A2LA) Mechanical Testing certificate 989.01. Full-scale crash testing on the BarrierGate® system was performed in accordance with testing criteria, as set forth by the National Cooperative Highway Research Program ("NCHRP") in the NCHRP Report 350 (1993).

## PRODUCT DESCRIPTION

<input checked="" type="radio"/> New Hardware or Significant Modification	<input checked="" type="radio"/> Modification to Existing Hardware	<input type="radio"/> Non-Significant
<p>Original submission date December 22, 2015. The BarrierGate® is an automated gate for longitudinal barrier openings that may be used to restrict unauthorized access and help eliminate barrier ends in median openings. The BarrierGate® was originally accepted on April 14, 1993 with FHWA eligibility letter HNG-14/B-25 as a NCHRP 350 TL-3 longitudinal barrier. The BarrierGate® was accepted on February 2, 2010 with FHWA eligibility letter HSSD/B-25A as a NCHRP 350 TL-4 longitudinal barrier.</p> <p>This request for continued eligibility is to notify the FHWA of necessary modifications that have occurred since May 18, 2015. All revisions have been justified through engineering analysis and judgement and have been determined to be non-significant and will have no bearing on the as-tested performance of the system. These modifications include the following:</p> <p>1. In the main electrical control assembly, equivalent electrical components were substituted for components that were discontinued by the original manufacturer. (3965)</p>		

## CRASH TESTING

A brief description of each crash test and its result:

Required Test Number	Narrative Description	Evaluation Results
3-10 (820C)	TL-3 BarrierGate® Energy Absorption Systems Test 150-008. Test Date 3/17/93. Test Report "BarrierGate® Crash Test Results". TL-4 BarrierGate® accepted without full scale crash testing. The non-significant modifications described in the Product Description will have no bearing on the as-tested performance of the system.	PASS
S3-10 (700C)	Not Applicable. Test S3-10 is an optional test not required for system eligibility.	
3-11 (2000P)	TL-3 BarrierGate® Energy Absorption Systems Test 150-006. Test Date 3/1/93. Test Report "BarrierGate® Crash Test Results". TL-4 BarrierGate® accepted without full scale crash testing. The non-significant modifications described in the Product Description will have no bearing on the as-tested performance of the system.	PASS
3-20 (820C)	Not Applicable. Test 3-20 is an optional transition test. Since test 3-21 were run at much higher impact severity levels and did not exhibit excessive pocketing of snagging, this test was not run.	
S3-20 (700C)	Not Applicable. Test S3-20 is an optional test not required for system eligibility.	
3-21 (2000P)	TL-3 BarrierGate® Energy Absorption Systems Test 150-007. Test Date 3/9/93. Test Report "BarrierGate® Crash Test Results". TL-4 BarrierGate® accepted without full scale crash testing. The non-significant modifications described in the Product Description will have no bearing on the as-tested performance of the system.	PASS

Full Scale Crash Testing was done in compliance with NCHRP Report 350 by the following accredited crash test Laboratory. By signature below, the Laboratory agrees in support of this submission that all critical and relevant crash tests for the device listed above were conducted. (cite the laboratory's accreditation status as noted in the crash test reports.):

Testing Laboratory's signature concurs that these modifications are considered Non-Significant.		
Laboratory Name:	E-Tech Testing Services, Inc.	
Laboratory Signature:	<b>Paul Kruse</b>	Digitally signed by Paul Kruse Date: 2016.03.24 14:09:42 -07'00'
Address:	3617B Cincinnati Ave., Rocklin, CA 95765	Same as Submitter <input type="checkbox"/>
Country:	USA	Same as Submitter <input checked="" type="checkbox"/>
Accreditation Certificate Number and Dates of current Accreditation period :	A2LA Certificate# 989.01, November 20, 2015 thru November 30, 2017	

Submitter Signature\*:Bret Eckert P.E.

Digitally signed by  
bret.eckert@trin.net  
DN: cn=breteckert@trin.net  
Date: 2016.03.24 15:22:38 -07'00'

Submit Form

## ATTACHMENTS

Attach to this form:


- 1) Additional disclosures of related financial interest as indicated above.
- 2) A copy of the full test report, video, and a Test Data Summary Sheet for each test conducted in support of this request.
- 3) A drawing or drawings of the device(s) that conform to the Task Force-13 Drawing Specifications [[Hardware Guide Drawing Standards](#)]. For proprietary products, a single isometric line drawing is usually acceptable to illustrate the product, with detailed specifications, intended use, and contact information provided on the reverse. Additional drawings (not in TF-13 format) showing details that are relevant to understanding the dimensions and performance of the device should also be submitted to facilitate our review.

FHWA Official Business Only:

Eligibility Letter		AASHTO TF13	
Number	Date	Designator	Key Words

ALTERNATE RJ22S-C-AI20 RELAY  
DPDT 120VAC CONTROL OPEN

ALTERNATE 8 BLADE  
SOCKET RELAY



BARRIERGATE®  
MAIN CONTROL ASSEMBLY

